

**Table 21C**  
**2004 Pediatric Nutrition Surveillance** (1)  
**California**

Page: 1  
Run Date: 8 / 9 / 05

**Summary of Trends in Anemia by Age**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Anemia by Age</b> (3)					
Age and Year	Anemia Low Hb/Hct (4)		Age and Year	Anemia Low Hb/Hct (4)	
	Number	%		Number	%
<b>6 - 11 Months</b>			<b>18 - 23 Months</b>		
2004	83,881	18.2	2004	35,733	15.0
2003	82,345	17.3	2003	37,538	15.1
2002	79,546	16.9	2002	37,819	14.7
2001	72,890	17.2	2001	35,859	15.3
2000	90,251	17.0	2000	43,825	15.2
1999	95,410	16.2	1999	48,650	14.6
1998	103,477	15.9	1998	52,097	14.2
1997	112,484	15.9	1997	53,282	14.7
1996	122,503	16.6	1996	56,653	15.7
1995	127,844	17.7	1995	56,213	16.0
<b>12 - 17 Months</b>			<b>24 - 35 Months</b>		
2004	88,178	15.1	2004	97,796	16.2
2003	82,616	14.6	2003	98,630	16.0
2002	78,938	14.3	2002	94,957	15.2
2001	71,556	14.9	2001	86,398	16.0
2000	89,041	14.6	2000	103,927	15.4
1999	91,497	14.6	1999	107,722	15.1
1998	95,698	14.2	1998	115,473	15.5
1997	99,327	14.1	1997	121,505	16.4
1996	105,778	14.6	1996	127,287	16.8
1995	103,484	15.0	1995	122,422	17.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 21C**  
**2004 Pediatric Nutrition Surveillance** (1)  
**California**

Page: 2  
Run Date: 8 / 9 / 05

**Summary of Trends in Anemia by Age**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Anemia by Age</b> (3)					
Age and Year	Anemia Low Hb/Hct (4)		Age and Year	Anemia Low Hb/Hct (4)	
	Number	%		Number	%
36 - 59 Months			Total All Age Groups		
2004	197,924	10.6	2004	503,512	14.0
2003	199,379	10.5	2003	500,508	13.7
2002	191,822	9.7	2002	483,082	13.1
2001	179,090	10.3	2001	445,793	13.7
2000	223,723	9.9	2000	550,767	13.3
1999	238,934	9.8	1999	582,213	13.0
1998	255,391	10.1	1998	622,136	13.0
1997	265,483	10.6	1997	652,081	13.5
1996	269,881	10.8	1996	682,102	14.0
1995	254,639	11.3	1995	664,602	14.6
All Other/Unknown					
2004	0	*			
2003	0	*			
2002	0	*			
2001	0	*			
2000	0	*			
1999	0	*			
1998	0	*			
1997	0	*			
1996	0	*			
1995	0	*			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 21C**  
**2004 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**California**  
**Summary of Trends in Anemia by Age**  
**Children Aged 5 to <20 Years** <sup>(2)</sup>  
**Standard Year (School Age Coding)**

Page: 1  
Run Date: 9 / 20 / 05

Summary of Trends in Anemia by Age <sup>(3)</sup>					
Age and Year	Anemia Low Hb/Hct (4)		Age and Year	Anemia Low Hb/Hct (4)	
	Number	%		Number	%
5 - 8 Years			12 - 14 Years - Girls		
2004	179,948	12.9	2004	43,954	9.4
2003	187,473	13.2	2003	45,637	9.0
2002	187,390	12.1	2002	42,748	8.1
2001	178,718	12.5	2001	36,983	8.6
2000	217,537	12.7	2000	43,883	8.6
1999	225,579	12.1	1999	47,265	8.1
1998	220,899	12.3	1998	39,854	8.2
1997	216,476	13.0	1997	36,106	8.9
1996	204,938	13.4	1996	33,561	9.1
1995	193,821	14.3	1995	30,582	9.5
9 - 11 Years			12 - 14 Years - Boys		
2004	95,905	11.8	2004	45,846	14.6
2003	106,223	11.4	2003	46,580	14.9
2002	107,377	11.0	2002	44,291	14.4
2001	99,566	11.3	2001	38,553	15.3
2000	114,434	11.5	2000	45,103	15.7
1999	120,324	10.8	1999	49,787	14.4
1998	101,200	11.0	1998	41,497	14.0
1997	89,282	12.0	1997	37,268	15.4
1996	79,646	12.1	1996	34,898	15.1
1995	73,310	13.1	1995	32,784	15.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 21C**  
**2004 Pediatric Nutrition Surveillance** (1)  
**California**  
**Summary of Trends in Anemia by Age**  
**Children Aged 5 to <20 Years** (2)  
**Standard Year (School Age Coding)**

Page: 2  
Run Date: 9 / 20 / 05

Summary of Trends in Anemia by Age (3)					
Age and Year	Anemia Low Hb/Hct (4)		Age and Year	Anemia Low Hb/Hct (4)	
	Number	%		Number	%
15 - 19 Years - Girls			Total All Age G		
2004	31,635	13.7	2004	426,825	12.7
2003	32,047	12.9	2003	448,437	12.7
2002	29,619	12.0	2002	440,239	12.0
2001	26,538	11.9	2001	406,633	12.4
2000	33,051	12.0	2000	486,065	12.6
1999	34,791	11.1	1999	512,607	11.9
1998	34,607	11.1	1998	473,018	12.1
1997	31,949	11.7	1997	443,223	12.9
1996	29,805	12.0	1996	414,942	13.2
1995	26,342	12.8	1995	384,195	13.8
15 - 19 Years - Boys					
2004	29,537	15.9			
2003	30,477	16.3			
2002	28,814	16.4			
2001	26,275	18.0			
2000	32,057	18.0			
1999	34,861	17.2			
1998	34,961	17.5			
1997	32,142	17.4			
1996	32,094	17.6			
1995	27,356	16.0			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.